Perfect Nails Waterless Sanitiser

SDS DATE:22/01/2022

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Perfect Nails Waterless Sanitiser

SYNONYMS: Ethyl alcohol gel **MANUFACTURER:** Beautyworld Pty Ltd

ADDRESS: Unit 2 /33-35 Lundberg Dr, Murwillumbah, NSW, 2484 Australia

PHONE: 1300 739893 (Business Hours)

AFTER HOURS: 0414362966 **FAX PHONE:** 02 66 725265

WEB: info@beautyworld.com.au
Www.beautyworld.com.au
CHEMICAL NAME: Ethyl alcohol (ethanol)

CHEMICAL FAMILY: Alcohol PRODUCT USE: Skin sanitiser

SECTION 2: HAZARDS IDENTIFICATION





Hazardous Nature

This product is classified as hazardous under GHS for Australian criteria

Hazardous Classification

Flammable Liquids: 2; Acute Toxicity – Oral: 4; Serious Eye Damage/Irritation: 2A

Hazardous Statement

Highly Flammable liquid and vapour

Hazard Statements

H225: Highly flammable liquid and vapour

H302: Harmful if swallowed

H319: Causes serious eye irritation

AUH066: Repeated exposure may cause skin dryness or cracking.

Precautionary Statements

P102: Keep out of reach of children.

P403+ 235: Store in a well ventilated place. Keep cool.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P262: Do not get in eyes, on skin, or on clothing.

P301+P312: If swallowed contact a Poinson Information Centre (Ph 13 1126) or a doctor if you feel unwell.

P303+361+353: If on skin remove immediately all contaminated clothing and rinse skin with water.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.

P243: Take precautionary measures against static discharge.

P242: Use only non sparking tools.

P280: Wear protective gloves and eye protection.

Perfect Nails Waterless Sanitiser

SDS DATE:22/01/2022

SECTION 2: HAZARDS IDENTIFICATION (cont)

P501: Dispose of contents/container in accordance with local regulations

Dangerous Goods Classification 3

Poisons Schedule Not regulated

SECTION 3: COMPOSITION

Ingredient	CAS	Percentage	
Ethanol	64-17-5	50-70%	
D –Limonene	5989-27-5	<1%	

SECTION 4: FIRST AID MEASURES

For advice, contact Poisons Information Centre (Phone Australia: 13 1126) or a doctor.

Ingestion

If swallowed, DO NOT induce vomiting. Keep at rest. Seek immediate medical attention.

Eye Contact

Flush eyes with large amounts of water until irritation subsides. Seek immediate medical attention.

Skin Contact

Flush area with large amounts of water and wash area with soap if available. Remove contaminated clothing, including shoes, and launder before reuse. Seek medical attention for skin irritations.

Inhalation

Using proper respiratory protection, immediately remove the affected victim from exposure. Administer artificial respiration if breathing is stopped. Keep at rest. Seek immediate medical attention.

First Aid facilities

Provide eye baths and safety showers.

Medical Attention

Treat according to symptoms. Avoid gastric lavage: risk of aspiration of product to the lungs with the potential to cause chemical pneumonitis

SECTION 5: FIRE-FIGHTING MEASURES

Shut off product that may 'fuel' a fire if safe to do so. Allow trained personnel to attend a fire in progress, providing firefighters with this Safety Data Sheet. Prevent extinguishing media from escaping to drains and waterways.

Suitable extinguishing media

Water spray, water fog or fine spray mist, alcohol foam

Hazards from combustion products

Carbon dioxide, carbon monoxide

Precautions for fire fighters and special protective equipment

Fully self-contained breathing aparatus, overalls, and safety boots

Hazchem Code: •2YE

SDS DATE:22/01/2022

SECTION 6: ACCIDENTAL RELEASE MEASURES

Emergency Procedures

Prevent fluid from escaping to drains and waterways. Contain leaking packaging in a containment drum.

Prevent vapours from building up in confined areas. Ensure that drain valves are closed at all times. Clean up and report spills immediately.

Emergency Procedures

Methods and materials for containment

	Major	Land	Spi	Ш
--	-------	------	-----	---

☐ Eliminate sources of ignition.
☐ Warn occupants of downwind areas of possible fire and explosion hazard.
☐ Prevent liquid from entering sewers, watercourses, or low-lying areas.
☐ Keep the public away from the area.
☐ Shut off the source of the spill if possible and safe to do so.
☐ Advise authorities if substance has entered a watercourse or sewer or has contaminated soil or vegetation.
☐ Take measures to minimise the effect on the ground water.
☐ Contain the spilled liquid with sand or earth.
☐ Recover by pumping - use explosion proof pump or hand pump - or with a suitable absorbent material.
☐ Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
☐ See "First Aid Measures" and "Stability and Reactivity"
Major Water Spill
☐ Eliminate any sources of ignition.
☐ Warn occupants and shipping in downwind areas of possible fire and explosion hazard.
\square Notify the port or relevant authority and keep the public away from the area.
$\hfill \square$ Shut off the source of the spill if possible and safe to do so.
☐ Confine the spill if possible.
☐ Remove the product from the surface by skimming or with suitable absorbent material.
☐ Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.
□ See "First Aid Measures" and "Stability and Reactivity"

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

This product is Flammable. Do not open near open flame, sources of heat or ignition. No smoking. Keep container closed. Handle containers with care. Open slowly to control possible pressure release. Material will accumulate static charge. Use grounding leads to avoid discharge (electrical spark).

Conditions for safe storage

Store in a cool, dry place away from direct sunlight. Do not pressurise, cut, heat or weld containers - residual vapours are combustible. This product will fuel a fire in progress.

Incompatible materials

Butyl rubber, natural rubber, polystyrene, EDPM.

SDS DATE:22/01/2022

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

National Exposure Standards

The time weighted average concentration (TWA) for ethanol in this product is: 1880mg/m³ (1000 ppm). The time weighted average concentration (TWA) is the highest allowable exposure concentration in an eight-hour day for a five-day working week.

Emergency Procedures

Biological limit values

None established

Engineering Controls: Ventilation

The use of local exhaust ventilation is recommended to control process emissions near the source. Laboratory samples should be handled in a fume hood. Provide mechanical ventilation of confined spaces. Use explosion-proof ventilation equipment.

Personal Protective Equipment

Respiratory Protection: Where concentrations in air may exceed the limits described in the National Exposure Standards, it is recommended to use a half-face filter mask to protect from overexposure by inhalation. A type "A" filter material is considered suitable for this product.

Eye Protection: Always use safety glasses or a face shield when handling this product.

Skin/ Body Protection: Always wear long sleeves and long trousers or coveralls, and enclosed footwear or safety boots when handling this product. It is recommended that chemical resistant gloves (e.g. PVC) be worn when handling this product.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Unit of Measurement Value		
Appearance	Visual	Blue tinted viscous gel	
Boiling Point/ Range	°C	From 78	
Flash Point	°C	13	
Density @ 15°C	g/ml	0.85-0.90	
Vapour Pressure @ 20°C	mbar	58.1	
Explosive Limits (LEL - UEL)	%	3.5- 19	
Vapour Density @ 20°C	kPa	1.59	
Autoignition Temperature	°C	Not available	
Viscosity @ 20°C	cSt	3000-4000	
Percent Volatiles	%	>55	
Solubility with Water	% w/w	Miscible	

Perfect Nails Waterless Sanitiser

SDS DATE:22/01/2022

SECTION 10: STABILITY AND REACTIVITY

Chemical Stability

Stable at room temperature and pressure

Conditions to avoid

Sources of heat and ignition, open flames.

Hazardous decomposition products

Carbon oxides on burning, organic complexes during incomplete combustion.

Hazardous reactions

Oxiding agents

Hazardous Polymerisation

Will not occur

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Effects

Ingestion

Accidental ingestion of the gel is unlikely in the workplace. Swallowing can produce symptoms similar to inebration and large doses can produce death. Symptoms of overexposure include: flushing, pulse rate decrease, blood pressure lowering, anaesthesia, narcosis, headaches, dizziness, mental depression, hallucinations, distorted perceptions, respiratory depression, nausea or vomiting, coma.

Eye Contact

This product is irritating to eyes and can cause corneal burns.

Skin Contact

This product is irritating to the skin with prolonged exposure. It may result in dryness and cracking.

Inhalation

This product is irritating to the respiratory tract. In high doses, this product has narcotic effects. At concentrations of 1000ppm or higher, the product may induce a mild narcosis, with transient effects. See Ingestion Effects.

Chronic Effects

A slight tolerance to this product can be acquired. This product is easily absorbed by the skin yielding a narcotic action. Overexposure may not be immediately determined for those who have built a tolerance. Abuse of this product will be harmful. People with pre-existing liver or kidney conditions must avoid unnecessary product exposure

Perfect Nails Waterless Sanitiser

SDS DATE:22/01/2022

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Aquatic Toxicity

Fish Toxicity (rainbow trout, goldfish, bluegill): LC₅₀(24hr): 11,200mg/L.

Daphnia Magna EC₅₀ (24 hr):

Blue-green algae (Toxicity threshold 7-8 days):

No data available, but expected to be harmful
No data available, but expected to be harmful
No data available, but expected to be harmful

Persistence/ degradability

This product can degrade rapidly in air. This substance is expected to be removed in wastewater treatment. Based upon data for a similar components or estimated data, this product is expected to biodegrade rapidly and be 'readily' biodegradable according to OECD guidelines.

Mobility

This product is highly volatile and will rapidly evaporate to the air if released into the water

SECTION 13: DISPOSAL CONSIDERATIONS

Disposal Methods

Empty packaging should be taken for recycling, recovery or disposal through a suitably qualified or licensed contractor. Care should be taken to ensure compliance with national and local authorities. Packaging may still contain fumes and vapours that are flammable and harmful. Ensure that empty packaging is allowed to dry.

Special Precautions for Landfill or Incineration

This product is NOT suitable for disposal by either landfill or via municipal sewers, drains, natural streams or rivers. This product is ashless and can be burned directly in appropriate equipment.

SECTION 14: TRANSPORT INFORMATION

Road & Rail		Maritime			Air	
UN Number	1170	UN Number	1170	UN Number	1170	
Proper	Ethanol	Proper	Ethanol	Proper	Ethanol	
Shipping name	Solution	Shipping name	Solution	Shipping name	Solution	
DG Class	3	DG Class	3	DG Class	3	
Sub Risk	None	Sub Risk	None	Sub Risk	None	
Packing group	II	Packing group	II	Packing group	II	
Hazchem	2YE	Hazchem	2YE	Hazchem	2YE	

Perfect Nails Waterless Sanitiser

SDS DATE:22/01/2022

SECTION 14: TRANSPORT INFORMATION (contd)

Dangerous Goods Segregation

This product is classed as Dangerous Goods Class 3, packing group II. Please consult the Australian Dangerous Goods Code for Transport by Road and Rail for information.

SECTION 15: REGULATORY INFORMATION

Country/ Region: Australia

Inventory: AICS
Status: Listed

Poisons Schedule: Not regulated

SECTION 16: OTHER INFORMATION

References: Supplier SDS

http://chem.sis.nlm.nih.gov/chemidplus http://hsis.ascc.gov.au/SearchHS.aspx

Ecotoxicology data: http://cfpub.epa.gov/ecotox/quick_query.htm

Sax's Dangerous Properties of Industrial Materials, Richard J. Lewis Snr., pub. Canada (2000)

The information sourced for the preparation of this document was correct and complete at the time of writing to the best of the writer's knowledge. The document represents the commitment to the company's responsibilities surrounding the supply of this product, undertaken in good faith. This document should be taken as a safety guide for the product and its recommended uses, but is in no way an absolute authority. Please consult the relevant legislation and regulations governing the use and storage of this type of product. For further information, please contact Beautyworld Pty Ltd.