

# **SAFETY DATA SHEET**

1 of 7 MCL-Cuticle

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 3.0 | SDS Revision Date: 13/09/2021

	1. PRODUCT INDENTIFICATION	
1.1	Product Name:	
	Light Elegance Cuticle Oil	
1.2	Chemical Name:	Australian Importer:
	BOTANICAL OIL BLEND	Beautyworld Pty Ltd
1.3	Synonyms:	ABN 75 105 168 045
	NA NA	Unit 2, 33-35 Lundberg Dr
1.4	Trade Names:	Murwillumbah NSW 2484
	CUTICLE OIL	
1.5	Product Use:	Ph 1300 739893 24 hrs contact : 0414362966
	PROFESSIONAL USE ONLY	
1.6	Manufacturer's Name:	Email: info@beautyworld.com.au
	MCCONNELL LABS, INC.	Web: www.beautyworld.com.au
1.7	Manufacturer's Adress:	
	406 SW UMATILLA AVE, REDMOND, OR 97756 USA	
1.8	Emergency Phone:	
1.0	CHEMTREC: +1 703 527 3887 / +1 800 424 9300 (CCN 696869)	
1.9	Business Phone / Fax:	
	+1 541 526 1417	
	2. HAZARD INDENTIFICATION	
2.1	This product is NOT classified as a HAZARDOUS SUBSTANCE or a DANGEROUS GOODS according to	the classification criteria of
	NOHSC: 1088 (2004) and AADG Code (Austalia).	
	Hazard Statement (H): None	
	Precautionary Statements (P): None.	
2.2	· · · · · · · · · · · · · · · · · · ·	estion: YES
2.2	Effects of Exposure:	estion: YES
	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.	
	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individ	luals, especially after prolonged contact.
2.3	Effects of Exposure:  INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.  EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individing to the eyes. Inhalation is unlikely; however, vapors of this product may be slightly irritating	luals, especially after prolonged contact.
	Effects of Exposure:  INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.  EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individing to the eyes. Inhalation is unlikely; however, vapors of this product may be slightly irritating symptoms of Overexposure:	luals, especially after prolonged contact.
2.3	Effects of Exposure:  INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.  EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individing to the eyes. Inhalation is unlikely; however, vapors of this product may be slightly irritating	luals, especially after prolonged contact.
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individ INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating Symptoms of Overexposure: Symptoms of over exposure may include redness, itching and irritation. Acute Health Effects:	luals, especially after prolonged contact. to some sensitive individuals.
2.3	Effects of Exposure: INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea. EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individ INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating Symptoms of Overexposure: Symptoms of over exposure may include redness, itching and irritation.	luals, especially after prolonged contact. to some sensitive individuals.
2.4	Effects of Exposure:  INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.  EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individ INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating Symptoms of Overexposure:  Symptoms of over exposure may include redness, itching and irritation.  Acute Health Effects:  SKIN: Redness, itching and irritation of skin at the site of contact for some sensitive individed.	luals, especially after prolonged contact. to some sensitive individuals.
2.4	Effects of Exposure:  INGESTION: If product is swallowed, may cause nausea, vomiting and/or diarrhea.  EYES & SKIN: Slightly irritating to the eyes. May be irritating to skin in some sensitive individ INHALATION: Inhalation is unlikely; however, vapors of this product may be slightly irritating Symptoms of Overexposure:  Symptoms of over exposure may include redness, itching and irritation.  Acute Health Effects:  SKIN: Redness, itching and irritation of skin at the site of contact for some sensitive individended in the state of	luals, especially after prolonged contact. to some sensitive individuals.

		3. COMPO	SITION &	INGRED	IENT I	NFO	RMA <sup>°</sup>	TION					2 of 7
					EXPO	SURE L	IMITS	IN AIR	(mg/m	13)			
					AC	GIH		NOHS	С		OSHA	١	
					р	pm		ppm			ppm		
				<u> </u>			ES-	ES-	ES-				OTHER
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
Helianthus Annuus	8001-21-6	NA	232-307-2	60-100	NA	NA	NA	NF	NF	NA	NA	NE	
(Sunflower) Seed Oil													
Vitis Vinifera (Grape	8024-22-24	NA	273-313-5	10-30	NA	NA	NF	NF	NF	NA	NA	NA	
Seed) Extra Virgin Oil													
Lavendula Officialis	84776-65-8	NA	283-994-0	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
(Lavender) Flower Oil	Asp. Tox 1; Skin Ir	rit. 2; Skin Se	ns. 1;Aquatic	Chronic 2; I	1304, H	315, H	317, H	111					
Melaleuca Alternifolia	85085-48-9	NA	285-377-1	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
Leaf Oil	Flam. Liq. 3; Acute H319, H411	e Tox. 4; Asp.	Tox. 1; Skin Ir	rit. 2; Skin S	Sens. 1;	Eye Irr	it. 2; A	qua. C	hron. 2	2; H220	6, H302	2, H304,	H315, H317,
Ocimum Basilicum Herb	,	INA	283-900-8	≤1.0	NA	NA	INF	INF	INF	Ina	Ina	INA I	
Oil	Skin Irrit. 2; Skin S			-					-				
Tocopheryl Acetate	58-95-7	GP820000	200-405-4	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
(Vitamin E)													

	4. FIRST AID MEASURES						
4.1	First Aid:						
I	INGESTION: If ingested, do not induce vomiting! If product has been swallowed, drink plenty of water or milk IMMEDIATELY. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number.  Provide an estimate of the time and amount at which the material was ingested and the amount of the substance that was swallowed.						
	SKIN & EYES:	I & EYES: If product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Open and close eyelid(s to ensure thorough irrigation. If problem persists, seek immediate medical attention. If irritation, redness or swelling persists, consult a physician immediately.					
l l	INHALATION: Remove victim to fresh air at once.						
4.2	Medical Conditi	ons Aggravated by Exposure:	HEALTH	1			
ļ.	None known		FLAMMABILITY	0			
			PHYSICAL HAZARDS	0			
			PROTECTIVE EQUIPMENT	Α			
			EYES				

	5. FIREFIGHTING MEASURES	3 of 7
5.1	Flashpoint & Method:	
	> 100 °C (> 212 °F)	
5.2	Autoignition Temperature:	
	NA	
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA	
5.4	Fire & Explosion Hazards:	
	This product is non- flammable. When involved in a fire, this product may ignite and decompose to form toxic gases (e.g.,	
	CO, CO2 and Nox)	
5.5	Extinguishing Methods:	
	NA	
5.6	Fire Fighting Procedures:	
	As in any fire, wear MSHA / NIOSH approved self-contained breathing apparatus (Pressure-demand) and full protective	
	gear.	

## **6. ACCIDENTAL RELEASE MEASURES**

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For small spills (e.g., , 1 gallon [3.785 liters]) wear appropriate personal protective equipment (e.g., goggles & gloves). Maximize ventilation (open doors and windows). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. For large spills (e.g., > 1 gallon [3.785 liters]) deny entery to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Remove remaining spilled material with absorbent material and place into appropriate closed container(s). Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

# 7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid eye contact. Do not eat, drink or smoke when handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use.

7.3 Special Precautions:

Spilled material may present a slipping hazard if left unattended. Clean all spilled material promptly.

	8. EX	POSURE CONTROLS & PERSONAL PROTECTION	4 of 7
8.1	Ventilation & Engineering Controls:	General mechanincal (e.g.: fans) or natural ventilation is sufficient when this product is in	use.
8.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or handling. In instances where vapors or sprays of this product are generated, and respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134, application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable standards of Canadian Provinces, EC Member States or Australia.	
8.3	Eye Protection:	None required under normal conditions of use. Avoid eye contact. May cause irritation in some sensitive individuals. When handling large quantities (e.g.: > 1 gallon), safety glasses with side shields should be used.	
8.4	Hand Protection:	None required under normal conditions of use. May cause skin irritation in some sensitive individuals. When handling large quantities (e.g.: > 1 gallon), wear rubber or impervious plastic gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities (e.g., > 1 gallon), eye wash stations and deluge showers should be available. Upon completion of work activities involving large quantities of this product, wash any exposed areas thoroughly with soap and water.	
		9. PHYSICAL & CHEMICAL PROPERTIES	
9.1	Density:	0.98	
9.2	Boiling Point:	NA	
9.3	Melting Point:	ND	
9.4	Evaporation Rate:	NA	
9.5	Vapor Pressure:	ND	
9.6	Molecular Weight:	NE	
9.7	Appearance & Color:	clear to slightly amber oily liquid	
9.8	Odor Threashold:	NE	
9.9	Solubility:	Not soluble	
9.1	pH:	NA	
.11	Viscosity:	500 cps	
).12	Other Information:	NA	
		10. STABILITY & REACTIVITY	

10.2 Hazardous Decomposition Products:
Oxides of carbon and nitrogen.

Open flames, sparks and high heat.

10.3 Hazardous Polymerization: Will not occur.10.4 Conditions to Avoid:

10.5 Incompatable Substances:
None known or reported.

	11. TOXICOLOGICAL INFORMATION 5 of 7
11.1	Toxicity Data:
	This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the produt which
	are found in scientific literature. These data have not been presented in this document.
11.2	Acute Toxicity:
44.0	See Section 2.5
11.3	Chronic Toxicity:
11.4	See Section 2.6
11.4	Suspected Carcinogen: NE
11 5	Reproductive Toxicity:
11.5	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:
	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:
	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:
	This products is not reported to cause teratogenic effects in humans.
11.6	Irritancy of Product:
	See Section 2.3
11.7	Biological Exposure Indicies:
	NE
11.8	Physician Recommendations:
	Treat syptomatically
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:
	There is no specific data for this product.
12.2	Effects on Plants & Animals:
	There is no specific data for this product.
12.3	Effects on Aquatic Life:
	There is no specific data for this product.
	13. DISPOSAL CONSIDERATIONS
13.1	Waste Disposal:
	Dispose inaccordance with local, state and Federal waste laws.
13.2	Special Considerations:
	Packaging should be emptied as much as possible and after rinsing, sent for recylcing.
	14. TRANSPORTATION INFORMATION
The bas	ic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation.
	nal descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.
	49 CFR (GRD):
	NOT REGULATED
14.2	IATA (AIR):
	NOT REGULATED
	IMDG (OCN):
	NOT REGULATED
	TDGR (Canadian GND):
	NOT REGULATED
	ADR/RID (EU):
	NOT REGULATED  MENICO (SCT):
	MEXICO (SCT): NOT REGULATED
	ADGR (AUS):
	NOT REGULATED
	HOT REGOLATED

	15. REGULATORY INFORMATION 6	of 7
15.1	SARA Reporting:	
	NA NA	
15.2	SARA Threshold Planning Quantity:	
	NA NA	
15.3	TSCA Inventory Status:	
	All components of this product are listed in the TSCA Inventory or are exempt	
15.4	CERCLA Reportable Quantity (RQ):	
	NA NA	
15.5	Other Federal Requirements:	
	This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics).	
15.6	Other Canadian Regulations:	
	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information	
	required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product	
	are on the Priorities Substances List.	
15.7	State Regulatory Information:	
	No ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists:	California
	Prop 65 (CA), Florida Toxic Substance List (FL), Massachusetts (MA) Hazardous Substance List, Michigan (MI) Critical Substance List	st,
	Minnesotta (MN) Hazardous Substance List, New Jersey (NJ) Right-To-Know, New York (NY) Hazardous Substance List, Pennsivan	ia (PA)
	Right-To-Know List, Washington (WA) Permissible Exposures List, Wisconsin (WI) Hazardous Substance List.	
15.8	67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements:	
	The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Hazard Statemens: None. Risk	
	Phrases (R): None. Safety Phrases (S): None	
	16. OTHER INFORMATION	
16.1	Other Information:	
	Use only as directed. Discontinue use immediately if irritation develops. KEEP OUT OF REACH OF CHILDREN.	
16.2	Terms & Definitions:	
	Please see last page of this SDS.	
16.3	Disclaimer:	
	This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other governeme	
	regulations must be reviewed for applicability to this product. To the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of Shipmate's and McConnell Labs' knowledge, the information of the best of t	
	contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not guar	
	no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific provided.	
	If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time	to time. Be
	sure to sonsult the latest edition.	



DEFINITION OF TERMS					
DEFINITION OF TERMS		MILT	$\sim$	$\sim$	TEDMO
	1)66	MI I			

G	ENERAL INF	ORMATION:							
A	large number of	abbreviations and	acronyms app	pear on a SDS	. Some of these	e that are c	ommonly use	d include t	he following:

CAS No.	Chemical Abstract Service Number

16.4 Prepared for:

16.5 Prepared by: ShipMate, Inc. PO Box 787

McConnell Labs, Inc.

406 SW Umatilla Ave Redmond, OR 97756 USA Tel: +1 541 526 1417 Fax: +1 541 526 1418

http://www.lightelegance.com

Sisters, OR 97759-0787 USA Tel: +1 541 370 3600 Fax: +1 541 370 5700

email: shipmate@shipmate.com

ZAKD	KAI	INGS:	

McConnell Labs

## EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists				
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL	Permissible Exposure Limit			
IDLH Immediately Dangerous to Life and Health				

## FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

## HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

## **HEALTH, FLAMMABILITY & REACTIVITY RATINGS:**

0	Minimal Hazard				
1 Slight Hazard					
2	2 Moderate Hazard				
3	Severe Hazard				
4	Extreme Hazard				




## PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		

G							
Н							
I							
J			<b>9</b>				
K	9						
Х	Consult your supervisor or SOPs for special handling directions.						



**Full Face Respirator** 













Dust & Vapor Half-Mask Respirator











Airline Hood/Mask or SCBA

## OTHER STANDARD ABBREVIATIONS:

NA	Not Available			
NR	No Results			
NE	Not Established			
ND	ND Not Determined			
ML	Maximum Limit			
SCBA	Self-Contained Breathing Apparatus			

## NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:							
Autoignition	Minimum temperature required to initiate combustion in air with no other						
Temperature	source of ignition						
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will						
	explode or ignite in the presence of an ignition source						

U	Minimai Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



## TOXICOLOGICAL INFORMATION:

LD <sub>50</sub>	Lethal Dose (solids & liquids) which kills 50% of the exposed animals		
	S		
LC <sub>50</sub>	Lethal concentration (gases) which kills 50% of the exposed animal		
ppm	Concentration expressed in parts of material per million parts		
TD <sub>Io</sub>	Lowest dose to cause a symptom		
TCLo	Lowest concentration to cause a symptom		
TD <sub>Io</sub> , LD <sub>Io</sub> , & LD <sub>o</sub> or	Lowest dose (or concentration) to cause lethal or toxic effects		
TC, TC <sub>o</sub> , LC <sub>io</sub> , & LC <sub>o</sub>			
IARC	International Agency for Research on Cancer		
NTP	National Toxicology Program		
RTECS	Registry of Toxic Effects of Chemical Substances		
BCF	Bioconcentration Factor		
TL <sub>m</sub>	Median threshold limit		
log Kow or log Koc	Coefficient of Oil/Water Distribution		

#### REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System					
DOT	U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	EU European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					

#### WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	<b>(</b>	<b>(a)</b>	9	①	<b>®</b>		Ä
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

## EC (67/548/EEC) INFORMATION:

1.4		M	*		*	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

# CLP/GHS (1272/2008/EC) PICTOGRAMS:

						<b>(!)</b>		<b>(</b>
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment