

2.4 Symptoms of Overexposure:

itching and watering.

2.5 Acute Health Effects:

Chronic Health Effects:

None
2.7 Target Organs:
Lungs, skin

SAFETY DATA SHEET

1 of 7 MCL-Effect

Prepared to OSHA, ANSI, NOHSC, WHMIS, 1002/58 & 1272/2008/EC Standards | SDS Revision: 1.1 | SDS Revision Date: 13/09/2021

			1. PROI	DUCT INDENTIFICA	ATION	
1.1	Product Name:					
	Light Elegance P	retty Effect Pign	nents and Premium Pre	tty Effect Pigments that DC	NOT contain Titanium Dioxide	
1.2	Chemical Name:					
	MICA AND SILICA	ATE PIGMENT P	OWDERS			
1.3	Synonyms:				Australian Importer: george	
	NA				Beautyworld Pty Ltd	
1.4	Trade Names:				ABN 75 105 168 045	
	Chrome, Cherry	Gold, Blush Spa	rkle		Unit 2, 33-35 Lundberg Dr	
1.5	Product Use:				Murwillumbah NSW 2484	
	PROFESSIONAL I	USE ONLY			Ph 1300 739893	
1.6	Manufacturer's Name:				24 hrs contact : 0414362966	
	MCCONNELL LAI	BS, INC.				
1.7	Manufacturer's A	Adress:			Email: info@beautyworld.com	
	406 SW UMATIL	LA AVE, REDMO	ND, OR 97756 USA		Web: www.beautyworld.com.au	1
1.8	Emergency Phon	ie:				_
	CHEMTREC: +1 7	['] 03 527 3887 / +	1 800 424 9300 (CCN 69	96869)		
1.9	Business Phone ,	/ Fax:				
	+1 541 526 1417	/ +1 541 526 14	18			
			2. HAZ	ARD INDENTIFICA	TION	
2.1	fumes/gas/vapors P338 - IF IN EYES - rinsing. P333 + P3 specific first aid tr	rd Statements (H s/spray. P280 - V Rince continuall B13 - If skin reacti reatment (see sec	Vear protective gloves. P y with water for several r on or a rash occurs, get n	302 + P352 - IF ON SKIN - was ninutes. Remove contact lens nedical attention. P337 + P31 Sheet). P363 - Wash contami	nts (P): P261 - Avoid breathing h with soap and warm water. P305 + P351 + ses if present and easy to do, continue 3 - ilf eye irritation persists, P321 - for nated clothing before resuse. P501 - Dispose	
2.2	Routes of Entry:		Inhalation: YES	Absorption: NO	Ingestion: YES	
	Effects of Exposu			'		
	INGESTION:	No affects				
	EYES & SKIN:	Moderately irrit		oms of overexposure may incl	orary impairment of vision and/or transient eye ude redness, itching, irritation and watering. M	
	INHALATION:	Symptoms of ovoverexposure.	erexposure can include c	oughing, wheezing, nasal con	gestion and difficulty breathing in the case of ex	treme

Symptoms of skin overexposure may include redness, itiching and irritation of affected areas. Overexposure in eyes may cause redness,

Moderate irritation to eyes near affected areas. This product is virtually nontoxic after a single exposure.

		3. COMF	POSITION	& INGRE	DIENT	INFO	RMA	TION	1				2 of 7
					EXPOSURE LIMITS IN AIR (mg/m3)								
					AC	GIH		NOHS	С		OSHA		
					р	pm		ppm			ppm		
							ES-	ES-	ES-				
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH	OTHER
Aluminum	7429-90-5	NA	231-072-3	0-100	NA	NA	NA	NF	NF	NA	NA	NE	
			1		1		т —	T	T	T	T .	г	
Silica	7631-86-9	NA	231-545-4	0-100	NA	NA	NF	NF	NF	NA	NA	NA	
	1.0.1.01.0	I	Ta. = co= o	To 400	Isra	1	I	1	1	1	1	l l	
Aluminum Calcium	1344-01-0	NA	215-685-3	0-100	NA	NA	NF	NF	NF	NA	NA	NA	
Sodium Silicate	C=00= 1= 0	I	Jacobie o	To 400	1	1	I	T	T	T	T	I	
Calcium Sodium	65997-17-3	NA	266-046-0	0-100	NA	NA	NF	NF	NF	NA	NA	NA	
Borosilicate	12002 20 2	Isra	1224 426 5	10.400	Isra	I	I	l	l	I	I	l	
Synthetic	12003-38-2	NA	234-426-5	0-100	NA	NA	NF	NF	NF	NA	NA	NA	
Fluorphlogopite	12001 26 2	Tava	Tara	To 70	Isra	T	I.e	l	l	I	I	la.a	
Mica	12001-26-2	NA	NA	0-70	NA	NA	NF	NF	NF	NA	NA	NA	
NAAV ALCO CONTAIN	1												
MAY ALSO CONTAIN		INIA	INIA	In 10	INIA	INIA	INE	INE	INE	INIA	INIA	NIA	
Silver	17852-98-1	NA	NA	0-10	NA	NA	NF	NF	NF	NA	NA	NA	
CI7F 470 / Commines	1200 65 4	INIA	T245 724 4	T-1 0	INIA	INIA	INE	INE	INE	INIA	INIA	INIA	
CI75470 (Carmine)	1390-65-4	NA	215-724-4	≤1.0	NA	NA	NF	NF	NF	NA	NA	NA	
CI77861 (Tin Oxide)	18282-10-5	NA	242-159-0	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
Ci77801 (Till Oxide)	10202-10-3	INA	242-139-0	20.1	INA	INA	INF	INF	INF	INA	INA	INA	
CI77510 (Ferric	14038-43-8	NA	237-875-5	≤0.1	NA	NA	NF	NF	NF	NA	NA	NA	
Ferrocyanide)	14030 43 0	INA	1237 073 3	130.1	IIVA	INA	INI	I NI	I NI	IIVA	IIVA	IVA	
CI77491 (Red Iron	1209-37-1	NA	215-168-2	0-25	NA	NA	NF	NF	NF	NA	NA	NA	
Oxide)	1205 57 1	INA	1213 100 2	0 23	IIVA	IIVA	IIVI	l MI	l MI	ПА	ПА	IVA	
4.1 First Aid:													
INGESTION:	If ingested, do	not induce von	niting! If prod	luct has bee	en swall	owed.	drink r	olenty	of wat	er or n	nilk IM	MEDIA	TELY. If the
	patient is vomi						-	-					
SKIN & EYES:	-	_			_						-		nd close eyelid(s
J	-		-									-	dical attention.
	If irritation occ						-	-					
affected area with plenty of soak and waster. Remove all contaminated clothing including footw before reuse. If irritation, redness or swelling persists, consult a physician immediately.								,					
INHALATION: Remove victim to fresh air at once. If breathing stops, perform artificial respiration. Seek immediate medical a							cal attention.						
4.2 Medical Condition				8	, ,,			HEAL					1
Pre-existing der			nd disorders	of the targe	et organ	s (lung	s.		MABII	ITY			0
skin)	,						-,		ICAL H		S		0
,											PMEN	Г	В
										_ ~ -			

	5. FIREFIGHTING MEASURES	3 of 7					
	Flashpoint & Method: > 100 °C (> 212 °F)						
	Autoignition Temperature: NA						
5.3	Flammability Limits: Lower Explosive Limit (LEL): NA Upper Explosive Limit (UEL): NA						
	4 Fire & Explosion Hazards: This product is slightly flammable. When involved in a fire, this product may ignite and decompose to form toxic gases						
	(e.g., CO, CO2 and Nox)						
5.5	Extinguishing Methods:						
	Water, Foam, CO2, Dry Chemical						
5.6	Fire Fighting Procedures:						
	First responders should wear eye protection. Structural fire fighters must wear full protective equipment and						
	MSHA/NIOSH approved, self-contained breathing apparatus. If possible, prevent runoff water from entering storm drains,						
	bodies of water or other enviormentally sensitive reas. If necessary, rinse contaminated equipment with soapy water						
	before returnign to service.						

6. ACCIDENTAL RELEASE MEASURES

6.1 Spills:

Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment. For all spills wear appropriate personal protective equipment (e.g., dust mask, goggles & gloves). Minimize ventilation (close doors and windows) in order to reduce making the product moe airborn. Use a vacuum with adequate filtration to collect the spilled material and bag the vacuumed material in a plastic bag. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with warm, soapy water. Remove any contaminated clothing and wash before reuse. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water.

7. HANDLING AND STORAGE INFORMATION

7.1 Work & Hygiene Practices:

Avoid prolonged contact with this material. Avoid breathing the dust generated by this product. Use in a well ventilated location (e.g., local exhaust ventilation, fans). Wash exposed skin thoroughly with plenty of soap and water after using this product. If necessary, use a moisturizer after washing. Do not eat, drink or smoke while handling this product.

7.2 Storage & Handling:

Use and store in a cool, dry, well ventilated location. Keep away from excessive heat. Keep away from incompatible materials listed in Section 10. Do not store in damaged or unmarked containers or storage devises. Keep containers securely closed when not in use. Open slowly on a level, stable surface. Empty containers may contain residual amounts of this product; therefore, empty containers shoiuld be handled with care. As a precaution against exposure to the eyes, nose, throat and face, this product should not be stored higher than waist level. KEEP AWAY FROM CHILDREN AT ALL TIMES!

7.3 Special Precautions:

Avoid sources of flame and sparks

	8. EX	(POSURE CONTROLS & PERSONAL PROTECTION	4 of 7
8.1	Ventilation & Engineering Controls:	Use with adequate ventilation (e.g., local exhaust ventilation, fans). Ensure appropriate	
		decontaimination equipment is available (e.g., sink, safety shower, eye wash station).	
3.2	Respiratory Protection:	No special respiratory protections is required under typical circumstances of use or	
		handling. In instances where vapors or sprays of this product are generated, and	
		respiratory protection is needed, use only protection authorized by 29 CFR § 1910.134,	
		application U.S. State regulations or the Candaian CAS Standard Z94.4-93 and applicable	
		standards of Canadian Provinces, EC Member States or Australia.	
3.3	Eye Protection:	Wear protective eyewear (e.g., safety glasses with side shields) at all times when	
		handling this product. Always use protective eyewear when cleaning spills or leaks.	
		Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.	
8.4	Hand Protection:	None required under normal conditions of use. However, may cause skin irritation in	mm
		some sensitive individuals. When handling large quantities (e.g., >1 gallon [3.785	
		liters]), wear nitrile or imprevious gloves.	
8.5	Body Protection:	No apron required when handling small quantities. When handling large quantities	
		(e.g., . 1 gallon), eye wash stations and deluge showers should be available. Upon	
		completion of work activities involving large quantities of this product, wash any	
		exposed areas thoroughly with soap and water.	
		9. PHYSICAL & CHEMICAL PROPERTIES	
9.1	Density: (gm/ml)	3.0	
9.2	Boiling Point:	NA	
9.3	Melting Point:	ND	
9.4	Evaporation Rate:	NA	
9.5	Vapor Pressure:	ND	
9.6	Molecular Weight:	NE	
9.7	Appearance & Color:	pigmented powder	
9.8	Odor Threashold:	NE	
9.9	Solubility:	Not soluble	
9.1	pH:	NA	
.11	Viscosity:	NA	
.12	Other Information:	NA	
		10. STABILITY & REACTIVITY	
	Stability:		

10.2 Hazardous Decomposition Products:

Exposure or contact to extreme temperatures, sparks and flame.

10.3 Hazardous Polymerization: Will not occur.10.4 Conditions to Avoid:

10.5 Incompatable Substances:

None

None

	11. TOXICOLOGICAL INFORMATION 5 of 7
11 1	Toxicity Data:
	TOXICITY DATA: This product has NOT been tested on animals to obtain toxicology data. There are toxicology data for the components of the product which
	are found in scientific literature. These data have not been presented in this document.
	Acute Toxicity:
	See Section 2.5
	Chronic Toxicity:
	See Section 2.6
11.4	Suspected Carcinogen:
	This product does not contain chemicals suspected of being carcinogens.
	Reproductive Toxicity:
	This product is not reported to cause reproductive toxicity in humans.
	Mutagenicity:
	This product is not reported to produce mutagenic effects in humans.
	Embryotoxicity:
	This product is not reported to produce embryotoxic effects in humans.
	Teratogenicity:
	This products is not reported to cause teratogenic effects in humans.
	Irritancy of Product:
	See Section 2.3
	Biological Exposure Indicies:
	NE
	Physician Recommendations:
	Treat syptomatically
	12. ECOLOGICAL INFORMATION
12.1	Environmental Stability:
	This product is very environmetally stable.
12.2	Effects on Plants & Animals:
	There is no specific data availble for this product on plant life.
12.3	Effects on Aquatic Life:
	There is no specific data availble for this product on aquatic life.
	13. DISPOSAL CONSIDERATIONS
13 1	Waste Disposal:
	Dispose inaccordance with local, state and Federal waste laws.
	Special Considerations:
	This material becomes an inert plastic upon prolonged exposure to sources of UV light and sunlight. Disposal of inert plastics is safer for the
	environment and is more easily handled for disposal according to local, state and Federal regulations.
	14 TRANSPORTATION INFORMATION
Th - 1-	14. TRANSPORTATION INFORMATION
	asic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. onal descriptive information may be required by 49 CFR, IATA/ICAO, IMDG, SCT, ADR and the CTDGR.
	49 CFR (GRD):
	NOT REGULATED
	IATA (AIR):
	NOT REGULATED
	IMDG (OCN):
	NOT REGULATED
	TDGR (Canadian GND):
	NOT REGULATED
	ADR/RID (EU):
	NOT REGULATED
14.6	MEXICO (SCT):
	NOT REGULATED
14.7	ADGR (AUS):
	NOT REGULATED

	45. DECLUATORY INFORMATION	6 (7					
	15. REGULATORY INFORMATION	6 of 7					
15.1	SARA Reporting:						
	NA						
15.2	SARA Threshold Planning Quantity:						
15 2	TSCA Inventory Status:						
15.5	All components of this product are listed in the TSCA Inventory or are exempt						
15 4	CERCLA Reportable Quantity (RQ):						
15.4	NA						
15.5	Other Federal Requirements:						
	This products complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics)						
15.6	Other Canadian Regulations:						
	This product has been classified according to the hazard criteria of the CPR and the SDS contains all of the information	\bigcirc					
	required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product	(!)					
	are on the Priorities Substances List.						
15.7	State Regulatory Information:						
	Ingredients in this mixture are found on the following state criteria lists: None						
15.8	67/548/EEC (European Union), Australian NOHSC:2011 (2003), and GHS Requirements:						
	The primary cononents of this product are not listed in Annex 1 of EU Directive 67/548/EEC. Irritant (Xi). Risk Phrases (R):						
	36/37/38 - Irritating to eyes, respiratory system and skin. Safety Phrases (S): 2-23-29 - Keep out of reach of Children. Do						
	not breath gas, fumes, vapor or spray. Do not empty into drains.						
	16. OTHER INFORMATION						
16.1	Other Information:						
	WARNING! CAUSES EYE IRRITATION. Avoid breathing dust. Wear potective gloves and eye/face protection. IF ON SKIN - Wa	ash with soap					
	and water. IF IN EYES - Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do	continue					
	rinsing. If skin irritation or a rash occurs - get medical advice/attention. Do not take internally. Keep away from heat and op	en flame. KEEP					
	OUT OF THE REACH OF CHILDREN.						
16.2	Terms & Definitions:						
	Please see last page of this SDS.						
16.3	Disclaimer:						
	This Safety Data Sheet (SDS) is offered persuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government is the standard of the standard						
	regulations must be reviewed for applicability to this product. To the best of Shipmate's and McConnell Labs' knowledge, the in						
	contained herein is reliable and accurate as of the date it was prepared; however, accuracy, suitability or completeness are not no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the spec	_					
	If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from ti						
	sure to sonsult the latest edition.	me to time. Be					
16.4	Prepared for:						
	McConnell Labs, Inc.						
	406 SW Umatilla Ave						
	Redmond, OR 97756 USA Tale 14 526 1417						
	Tel: +1 541 526 1417 Fax: +1 541 526 1418						
16 5	http://www.lightelegance.com Prepared by:						
10.5	ShipMate, Inc.						
	PO Box 787						
	Sisters, OR 97759-0787 USA						
	Tel: +1 541 370 3600						
	Fax: +1 541 370 5700 Drangerous Goods Training 6 Consulting						
	email: shipmate@shipmate.com						

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No. | Chemical Abstract Service Number

IAZARD	RATINGS:

A | M:-:----

EXPOSURE LIMITS IN AIR:

ACGIH American Conference on Governmental Industrial Hygienists				
TLV Threshold Limit Value				
OSHA U.S. Occupational Safety and Health Administration				
PEL Permissible Exposure Limit				
IDLH Immediately Dangerous to Life and Health				

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.

HAZARDOUS MATERIALS IDENTIFICATION SYSTEM: HMIS

HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard				
1 Slight Hazard					
2 Moderate Hazard					
3 Severe Hazard					
4 Extreme Hazard					




PERSONAL PROTECTION RATINGS:

Α		
В		
С		
D		
Е		
F		

G				
Н				
I				
J			9	
K	9			
Х	Consult for spec	your supe ial handlii	ervisor or ng directi	SOPs ons.



Full Face Respirator













Dust & Vapor Half-Mask Respirator











Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:

NA	Not Available
NR	No Results
NE	Not Established
ND	Not Determined
ML	Maximum Limit
SCBA	Self-Contained Breathing Apparatus

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:						
Autoignition	Minimum temperature required to initiate combustion in air with no other					
Temperature	source of ignition					
LEL	Lower Explosive Limit - lowest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					
UEL	Upper Explosive Limit - highest percent of vapor in air, by volume, that will					
	explode or ignite in the presence of an ignition source					

U	Minimai Hazard
1	Slight Hazard
2	Moderate Hazard
3	Severe Hazard
4	Extreme Hazard
ACD	Acidic
ALK	Alkaline
COR	Corrosive
₩	Use No Water
ОХ	Oxidizer
TREFOIL	Radioactive



TOXICOLOGICAL INFORMATION:

LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	s				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{lo}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or	Lowest dose (or concentration) to cause lethal or toxic effects				
TC, TC _o , LC _{lo} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	Canadian Workplace Hazardous Material Information System				
DOT	U.S. Department of Transportation				
TC	Transport Canada				
EPA	U.S. Environmental Protection Agency				
DSL	Canadian Domestic Substance List				
NDSL	Canadian Non-Domestic Substance List				
PSL	Canadian Priority Substances List				
TSCA	U.S. Toxic Substance Control Act				
EU	European Union (European Union Directive 67/548/EEC)				
WGK	Wassergefährdungsklassen (German Water Hazard Class)				

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

0	((a)	②	①	®		Ä
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

1.4		M	*	8	*	X	X
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

						(!)		(
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment